

**HOROZ ELECTRIC**

# LED Downlight

**HOROZ ELECTRIC**

## LED Downlight




### NADIA

016 027 0001

**MAT CHROME**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K




### MONICA

016 003 0001

**CHROME****MAT CHROME**

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K




### MIRANDA

016 004 0003

**CHROME****MAT CHROME**

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 260 lm
- 4200K



### SILVIA



016 039 0001

### LAURA

016 038 0001

**WHITE****MAT CHROME**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K



### LISA



016 031 0003

### JULIA

016 032 0003

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K



LED DOWNLIGHT



### BELLA

016 042 0003

CHROME


WHITE

MAT CHROME

BLACK

ROSE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K




### BIANCA

016 036 0003

WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K



### RITA

016 037 0003

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K




### ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K




### LUNA

016 041 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available




### SARA

016 005 0003

MAT CHROME


WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 200 lm (2700K)
- 220 lm (6500K)



### DIANA

016 006 0003









- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

## NORA

## MAYA

WHITE



	NORA-5	NORA-7	MAYA-5	MAYA-7
	016-053-0005	016-053-0007	016-054-0005	016-054-0007
Power	5 W	7 W	5 W	7 W
Luminous Flux	400 lm	520 lm	400 lm	520 lm



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 4200K / 6500K

## MELISA


## VICTORIA

MAT CHROME

WHITE



	MELISA-3	MELISA-5	VICTORIA-3	VICTORIA-5
	016-008-0003	016-008-0005	016-007-0003	016-007-0005
Power	3 W	5 W	3 W	5 W
Luminous Flux	230 lm	300 lm	230 lm	300 lm



## GABRIEL

## JESSICA



WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K



016 029 0006

016 030 0006







### VALERIA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



	VALERIA-5 016-040-0005	VALERIA-7 016-040-0007	VALERIA-9 016-040-0009
Power	5 W	7 W	9 W
Luminous Flux	400 lm	560 lm	720 lm
Cutting Diameter (mm)	Ø50	Ø70	Ø95
Sizes (mm)	A: 20 B: 62 C: 55	A: 20 B: 82 C: 55	A: 20 B: 102 C: 55



WHITE



### ADRIANA



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	ADRIANA-5 016-021-0005	ADRIANA-10 016-021-0010	ADRIANA-15 016-021-0015
Power	5 W	2x5 W	3x5 W
Luminous Flux	368 lm	2x368 lm	3x368 lm
Cutting Size (mm)	73x73	90x155	90x240
Sizes (mm)	A: 93 B: 44 C: 93	A: 175 B: 44 C: 93	A: 255 B: 44 C: 93



WHITE



### VERONICA



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	VERONICA-10 016-022-0010	VERONICA-20 016-022-0020	VERONICA-30 016-022-0030
Power	10 W	2x10 W	3x10 W
Luminous Flux	539 lm	2x539 lm	3x539 lm
Cutting Size (mm)	90x90	100x205	100x315
Sizes (mm)	A: 120 B: 80 C: 120	A: 230 B: 80 C: 120	A: 340 B: 80 C: 120



WHITE




### SABRINA


- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K



	SABRINA-8 016-023-0008	SABRINA-16 016-023-0016	SABRINA-24 016-023-0024	SABRINA-32 016-023-0032
Power	8 W	2x8 W	3x8 W	4x8 W
Luminous Flux	371 lm	2x371 lm	3x371 lm	4x371 lm
Cutting Size (mm)	90x90	81x170	81x255	170x170
Sizes (mm)	A: 100 B: 67 C: 100	A: 185 B: 67 C: 100	A: 270 B: 67 C: 100	A: 185 B: 67 C: 185



WHITE








LED DOWNLIGHT


### ALEXA

- 200-265V / 50-60Hz
- Average Life: 70,000 Hrs
- 3000K/4200K/7000K

WHITE



	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power :	8 W	12 W	20 W	24 W	30 W
Luminous Flux :	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm) :	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230







### LUCIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux :	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter :	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217




LED DOWNLIGHT


### VANESSA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341 lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225





LED DOWNLIGHT

### STELLA


- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



FRAMELESS




	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	8 W	16 W	20 W	30 W
Luminous Flux	455 lm	950 lm	1375 lm	2260 lm
Cutting Diameter (mm)	75	112	163	215
Sizes (mm)	A: 91 B: 19	A: 121 B: 19	A: 173 B: 19	A: 223 B: 19







- 165-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K




### CLARA



### MARIA




	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power :	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux :	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm) :	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm) :	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



### SLIM


- 165-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE




	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297



### SLIM/Sq


- 165-260V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE



	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	282x282
Sizes (mm) :	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:296






**HOROZ ELECTRIC**

# LED Panel / Frame / Drywall Kit Apparatus

## PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K


056 010 0045




### BACKLIGHT PANEL



Inside of Product



WHITE



**HOROZ ELECTRIC**

## LED Panel Frame Drywall Kit Apparatus




LED PANEL / FRAME / DRYWALL KIT APPARATUS

## EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 5575 lm
- 4200K / 6400K


056 009 0080




### BACKLIGHT PANEL



Inside of Product



SILVER







### GALAKSI-45

056 002 0045

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K



### STAR-50

056 001 0050


SILVER

- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K




### MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K




MOON-32	MOON-40
056-007-0032	056-007-0040

Power	: 32 W	40 W
Luminous Flux	: 2240 lm	2800 lm
Sizes (mm)	: A: 400 B: 400 C: 8	A: 500 B: 500 C: 8





### ZODIAC

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K



ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power	: 24 W	36 W
Luminous Flux	: 1680 lm	2520 lm
Sizes (mm)	: A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8




### FRAME

WHITE



FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005

Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45
-------------	---------------------	----------------------	---------------------	---------------------	---------------------



### DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels







**LED Surface Light  
Surface Light**




LED SURFACE LIGHT / SURFACE LIGHT


**CAROLINE**

- Average Life: 30.000 Hrs
- 3000K/4200K/6000K

**WHITE**



	CAROLINE-12	CAROLINE-18	CAROLINE-28	CAROLINE-32	CAROLINE-40	CAROLINE-48
	016-025-0012	016-025-0018	016-025-0028	016-025-0032	016-025-0040	016-025-0048
Power :	12 W	18 W	28 W	32 W	40 W	48 W
Luminous Flux :	840 lm	1300 lm	1960 lm	2240 lm	2800 lm	3360 lm
Volt :	165-260V/50-60Hz	165-260V/50-60Hz	165-260V/50-60Hz	185-264V/50-60Hz	185-264V/50-60Hz	185-264V/50-60Hz
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:400 B:40	A:500 B:40	A:600 B:40




**ARINA**

- 165-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K

**WHITE**



	ARINA-12	ARINA-18	ARINA-28
	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:159.5 B:28	A:211 B:28	A:283 B:28






### SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

### SANDRA-XL




WHITE

BLACK




	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux:	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



### SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

### SANDRA-SQ/XL




WHITE

BLACK



	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux:	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200



LED SURFACE LIGHT / SURFACE LIGHT

### FREZYA

- 220-240V / 50-60Hz
- Max. 50W




WHITE

BLACK




FREZYA-R

015-026-0050




FREZYA-S

015-027-0050



**ARIZONA**

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K




WHITE

BLACK



ARIZONA-5	ARIZONA-10
018-027-0005	018-027-0010

Power	: 5 W	10 W
Luminous Flux	: 380 lm	650 lm
Beam Angle	: 52°	60°




LED Track Light



LED TRACK LIGHT

**VARNA**

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




WHITE

BLACK



VARNA-20	VARNA-30	VARNA-36
018-026-0020	018-026-0030	018-026-0036

Power	: 20 W	30 W	36 W
Luminous Flux	: 1600 lm	2400 lm	2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	A: 81 B: 130 C: 170	A: 91 B: 140 C: 180







### BERN

018 017 0030

WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°




### DUBLIN

018 018 0035

WHITE


BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°



### Z O O M A B L E

### MONACO



- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°




WHITE

BLACK



	MONACO-15	MONACO-30
	018-019-0015	018-019-0030


Power	: 15 W	30 W
Luminous Flux	: 1125 lm	2250 lm
Sizes (mm)	: A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



### Z O O M A B L E

### PORTO

018 013 0007




- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 525 lm
- 4200K
- Beam Angle: 18°-70°



WHITE

BLACK

SILVER





### OSLO

018 012 0010



- WHITE
- BLACK
- SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 900 lm
- 4200K
- Beam Angle: 21°




### MADRID

2700K 4200K 6400K



- WHITE
- BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°




MADRID-23	MADRID-40
018-005-0023	018-005-0040

Power	: 23 W	40 W
Luminous Flux	: 1779 lm	2988 lm

### LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°




- WHITE
- BLACK




LYON-10	LYON-18	LYON-24
018-020-0010	018-020-0018	018-020-0024

Power	: 10 W	18 W	24 W
Luminous Flux	: 650 lm	1170 lm	1560 lm
Sizes (mm)	: A: 81 B: 140 C: 102 D: 37 E: 68	A: 170 B: 162 C: 110 D: 61 E: 84	A: 200 B: 190 C: 140 D: 66 E: 89



### MILANO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K




- WHITE
- BLACK
- SILVER



MILANO-5	MILANO-8	MILANO-13
018-008-0005	018-008-0008	018-008-0013

Power	: 5 W	8 W	13 W
Luminous Flux	: 334 lm	600 lm	987 lm
Beam Angle	: 55°	53°	73°
Sizes (mm)	: A: 40 B: 70 C: 128	A: 48 B: 95 C: 132	A: 60 B: 108 C: 145



**BASEL**


115 003 0001

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

**NEW PRODUCT**



TRACK LIGHT

Track Light



**DAKAR**

115 001 0001

**RABAT**



115 002 0001

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included

**NEW PRODUCT**





**LOZAN**



116 001 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



SPOTLIGHT / LED SPOTLIGHT

Spotlight  
LED Spotlight



**BEYRUT**


017 001 0005



WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 320 lm
- 4200K
- Beam Angle: 60°



**TOKYO**


017 002 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



## LIGHTING TRACK

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001


1m.

097 001 0002

2m.

097 001 0003

3m.



## TRACK CONNECTOR

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A



STRAIGHT Connector

096-001-0001




L Connector

096-002-0002



T Connector

096-001-0004



X Connector

096-001-0003



## RECESSED MONOPOINT


WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

098 001 0001



125



**HOROZ ELECTRIC**

# LED Suspension Light

**INNOVO-40**

019 033 0040

30 mm width

**INNOVA-40**

019 034 0040

50 mm width

**BLACK**

**WHITE**

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3200 lm
- 4000K

**NEW PRODUCT**



**HOROZ ELECTRIC**

LED Suspension Light



LED SUSPENSION LIGHT









**PRIME-45**

019 029 0045



**CHROME**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3500 lm
- 4000K



LED SUSPENSION LIGHT



**OPTIMA-12**

019 030 0012

**OPTIMA-24**


019 030 0024

**OPTIMA-36**

019 030 0036

**CHROME**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K




## CALIBUR-24

019 031 0024

### CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K





## CAMEL-24

019 032 0024

### CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K



LED SUSPENSION LIGHT


## COSTA-35

019 015 0035

### BLACK

### WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




## MATRIX-35

019 013 0035

### BLACK

### WHITE


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K





**PHOENIX**

019 020 0038



**CHROME**

**RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K




LED SUSPENSION LIGHT



**ELECTRA**

019 021 0038



**CHROME**

**RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K









### DELUXE

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 4000K



BLACK

WHITE

RED

BLUE




DELUXE-35

019-012-0035

DELUXE-70


019-012-0070

Power	: 35 W	70 W
Luminous Flux	: 2000 lm	3900 lm
Sizes (mm)	: A: 1200 B: 250 C: 420	A: 1200 B: 250 C: 580



### CONCEPT

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 4000K



ROSE

CHROME

WHITE




CONCEPT-35

019-010-0035

CONCEPT-41

019-010-0041


Power	: 35 W	41 W
Luminous Flux	: 1000 lm	1500 lm
Sizes (mm)	: A: 200 B: 65 C: 1200 D: 45 E: 461	A: 200 B: 65 C: 1200 D: 45 E: 648



### FAVORI

- 220-240V / 50-60Hz
- Average Life: 50,000 Hrs
- 2500 lm
- 4000K


019 008 0062



CHROME

COPPER


BROWN






### AVANGARD

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




WHITE

BLACK




AVANGARD-24	AVANGARD-40
019-005-0024	019-005-0040

Power	:	24 W	40 W
Luminous Flux	:	1680 lm	2800 lm
Sizes (mm)	:	A: 82,36 B: 42 C: 230 D: 515	A: 98 B: 50 C: 280 D: 550




LED SUSPENSION LIGHT



### ELEGANCE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




WHITE

BLACK



ELEGANCE-24	ELEGANCE-40
019-006-0024	019-006-0040


Power	:	24 W	40 W
Luminous Flux	:	1680 lm	2800 lm
Sizes (mm)	:	A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 515	A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 550






### TREND

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K



BLACK

WHITE



TREND-50	TREND-85
019-009-0050	019-009-0085

Power	: 50 W	85 W
Luminous Flux	: 800 lm	1400 lm
Sizes (mm)	: A: 190 B: 95 C:550 D: 550	A: 270 B: 105 C:790 D: 790




LED SUSPENSION LIGHT




### ASFOR

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K




BLACK

WHITE



ASFOR-50	ASFOR-85
019-011-0050	019-011-0085

Power	: 50 W	85 W
Luminous Flux	: 800 lm	1400 lm
Sizes (mm)	: A: 160 B: 26 C: 1200 D: 95 E: 550 F: 550	A: 210 B: 26 C: 1200 D: 105 E: 790 F: 790





**OLYMPIC**

019 035 0045



**BLACK**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K

**NEW PRODUCT**



LED SUSPENSION LIGHT



**GENESIS**

019 036 0100



**CHROME**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K

**NEW PRODUCT**



**CRATER**

019 037 0020



**CHROME**

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K

**NEW PRODUCT**




## ORIENT

019 016 0030



### CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211lm
- 4000K





## ORION

019 017 0030



### CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K



LED SUSPENSION LIGHT


## AVALON

019 018 0035



### CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K




## GLORY

019 019 0045



### CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K







**AVATAR**

019 039 0033

**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K

**NEW PRODUCT**




LED SUSPENSION LIGHT



**AVIATOR**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**




**NEW PRODUCT**



	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056

Power	: 24 W	40 W	56 W
Luminous Flux	: 1680 lm	2800 lm	3920 lm









### VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




**NEW**  
PRODUCT

CHROME



VOYAGER-12	VOYAGER-18	VOYAGER-24
019-041-0012	019-041-0018	019-041-0024


Power	: 12 W	18 W	24 W
Luminous Flux	: 840 lm	1260 lm	1680 lm
Length (mm)	: L: 410	L: 565	L: 815



LED SUSPENSION LIGHT


### ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




**NEW**  
PRODUCT

CHROME



ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
019-040-0019	019-040-0025	019-040-0032	019-040-0038

Power	: 19 W	25 W	32 W	38 W
Luminous Flux	: 1330 lm	1750 lm	2240 lm	2660 lm
Diameter (mm)	: Ø: 300	Ø: 400	Ø: 500	Ø: 600




## NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K





## POLARIS

019 024 0046

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K




LED SUSPENSION LIGHT




## TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



TORNADO-30

TORNADO-40

019-025-0030

019-025-0040

Power	:	30 W	40 W
Luminous Flux	:	2100 lm	2800 lm
Sizes (mm)	:	A: 800 B: 150 C: 400	A: 800 B: 200 C: 600







**ETERNITY**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**



ETERNITY-30	ETERNITY-40
019-022-0030	019-022-0040

Power	: 30 W	40 W
Luminous Flux	: 2100 lm	2800 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600





LED SUSPENSION LIGHT

**QUASAR**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

**CHROME**



QUASAR-42	QUASAR-90
019-023-0042	019-023-0090

Power	: 42 W	90 W
Luminous Flux	: 2940 lm	6300 lm









### NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



NIRVANA-24	NIRVANA-32	NIRVANA-40
019-027-0024	019-027-0032	019-027-0040

Power	: 24 W	32 W	40 W
Luminous Flux	: 1680 lm	2240 lm	2800 lm
Sizes (mm)	: A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400





LED SUSPENSION LIGHT



### PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



PANDORA-72	PANDORA-96
019-028-0072	019-028-0096

Power	: 72 W	96 W
Luminous Flux	: 5040 lm	6720 lm





**HOROZ ELECTRIC**

# String Light / LED Pendant Lamp



**HOROZ ELECTRIC**

## String Light



STRING LIGHT / LED PENDANT LAMP


### CARNAVAL

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included

LINKABLE



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm <sup>2</sup>	2*1,5mm <sup>2</sup>



**HOROZ ELECTRIC**

## LED Pendant Lamp



### SEMBOL


020 006 0012



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 850 lm
- 4000K





**EDISON**

021 002 0001



**TESLA**

021 003 0001



**WEBER**

021 008 0001



**GAUSS**

021 009 0001



- RED COPPER
- GOLDEN
- PEARL BLACK
- OLD BRONZE
- CHROME

250V~/4A  
Max. 60W



Pendant Lamp



**VOLTA**

021 001 0001



- BLACK
- WHITE
- BROWN
- BLUE
- RED
- GREY

250V~/4A  
Max. 60W




**NEWTON**

021 010 0001



**KEPLER**

021 011 0001




**MAXWELL**

021 012 0001



**NOBEL**

021 013 0001



**BLACK**

250V~/4A  
Max. 60W



PENDANT LAMP





### LASER



### SPECTRUM




### RADIAN



#### CHROME

- 250V~/4A
- Max. 60W
- Glass



021 004 0001

021 004 0002

021 005 0001

021 005 0002

021 007 0001

021 007 0002


### QUANTUM



#### COPPER

#### CHROME

- 250V~/4A
- Max. 60W
- Glass



021 006 0001

021 006 0002

### METEOR

#### COPPER

#### CHROME

- 240V~/4A
- Max. 60W
- Glass



021 014 0001

021 014 0002





PENDANT LAMP

**DREAM**

021 020 0001



**SHARP**

021 019 0001



**RONDO**

021 018 0001




**AMBER**

**TITANIUM**

- 250V~/4A
- Max. 60W
- Glass



**NEW PRODUCT**



**GLOBAL**

021 021 0001



**GLOBAL-X**

021 021 0002



**NEW PRODUCT**

**AMBER**

**TITANIUM**

- 250V~/4A
- Max. 60W
- Glass



**AMPER**

021 022 0001



**COPPER**

- 250V~/4A
- Max. 60W
- For Glass Pendant

**NEW PRODUCT**







**ELEMENT-1**

021 015 0001



AMBER



TITANIUM

**ELEMENT-2**

021 015 0002



CLEAR COPPER



CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass



**SPARK-1**

021 016 0001



AMBER



TITANIUM

**SPARK-2**

021 016 0002



AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



**HARMONY-1**

021 017 0001



AMBER



TITANIUM

**HARMONY-2**

021 017 0002



AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass




PENDANT LAMP





### SİSAM

029 006 0008




### TRUVA

029 007 0008



**WHITE**  
**BLACK**

- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM) / 520 lm (TRUVA)
- Average Life: 30.000 Hrs



LED WALL LIGHT




## LED Wall Light



### ERDEK

029 001 0005



**WHITE**

**RED**

- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs




### ABANT

029 005 0010



**WHITE**

- 85-265V / 50-60Hz
- 825 lm
- 4200K
- Average Life: 30.000 Hrs






### RODOS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE



RODOS-3	RODOS-6	RODOS-12
029-004-0003	029-004-0006	029-004-0012


Power	: 3 W	6 W	12 W
Luminous Flux	: 170 lm	340 lm	950 lm
Sizes (mm)	: A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80



### BELEN

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE




BELEN-6	BELEN-12	BELEN-18
029-003-0006	029-003-0012	029-003-0018

Power	: 6 W	12 W	18 W
Luminous Flux	: 340 lm	950 lm	1400 lm
Sizes (mm)	: A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95



LED WALL LIGHT





LED DECORATIVE CEILING LAMP



## LED Decorative Ceiling Lamp



### PIXEL



PIXEL-36	PIXEL-48
027-011-0036	027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

### RADIUS




RADIUS-36	RADIUS-48
027-012-0036	027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

### WHITE

- 180 - 265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



### ETERNAL



ETERNAL-36	ETERNAL-48
027-013-0036	027-013-0048


Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

### DISCOVERY



DISCOVERY-36	DISCOVERY-48
027-014-0036	027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85









### ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE

**NEW**  
PRODUCT




	ELECTRON-15	ELECTRON-24	ELECTRON-36
	027-010-0015	027-010-0024	027-010-0036
Power	15 W	24 W	36 W
Luminous Flux	911lm	1485 lm	2228 lm
Sizes (mm)	A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55




### EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE



	EPSILON-15	EPSILON-24	EPSILON-36
	027-004-0015	027-004-0024	027-004-0036
Power	15 W	24 W	36 W
Luminous Flux	1125 lm	1800 lm	2700 lm
Sizes (mm)	A: 260 B: 55	A: 330 B: 60	A: 410 B: 60




### SHARK-24

WHITE

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K

027 001 0024




### PHOTON-15

WHITE


- 120-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1086 lm
- 6400K

027 005 0015



## PHANTOM

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




PHANTOM-36	PHANTOM-48
027-002-0036	027-002-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 410 B: 65	A: 510 B: 65



- WHITE
- BLUE
- PINK




LED DECORATIVE CEILING LAMP / DECORATIVE CEILING LAMP



## GHOST

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




GHOST-36	GHOST-48
027-003-0036	027-003-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 400 B: 60	A: 490 B: 60



- WHITE
- BLUE
- PINK




## Decorative Ceiling Lamp



## SARAY

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME



SARAY-1	SARAY-2	SARAY-3
026-005-0001	026-005-0002	026-005-0003

Power	: Max. 40 W	Max. 60 W	Max. 2X60 W
Sizes (mm)	: A: 70 mm B: 180	A: 73 B: 235	A: 75 B: 285



**HOROZ ELECTRIC**

# LED Ceiling Lamp / Ceiling Lamp

**LİKYA**

**CHROME**

- 220-240V / 50-60Hz
- 4000K



LİKYA-1



LİKYA-2



LİKYA-3



LİKYA-4



LİKYA-5




LİKYA-6



LİKYA-1	LİKYA-2	LİKYA-3	LİKYA-4	LİKYA-5	LİKYA-6
036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006

Power	: 5W	2x5W	3x5W	4x5W	4x5W	6x5W
Luminous Flux	: 300 lm	2x300 lm	3x300 lm	4x300 lm	4x300 lm	6x300 lm



LED CEILING LAMP / CEILING LAMP



**HOROZ ELECTRIC**

## LED Ceiling Lamp Ceiling Lamp






## DiDIM

CHROME

220-240V / 50-60Hz  
4000K



	DiDIM-1	DiDIM-2	DiDIM-3	DiDIM-4	DiDIM-5
Code	036-005-0001	036-005-0002	036-005-0003	036-005-0004	036-005-0005
Power	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm




## MILAS

CHROME

220-240V / 50-60Hz  
4000K



	MILAS-1	MILAS-2	MILAS-3	MILAS-4	MILAS-5
Code	036-004-0001	036-004-0002	036-004-0003	036-004-0004	036-004-0005
Power	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	3x400 lm	400 lm	2x400 lm	3x400 lm	4x400 lm



LED CEILING LAMP / CEILING LAMP



### LARA

CHROME

220-240V / 50-60Hz  
4000K



LARA-1



LARA-2



LARA-3




LARA-4



LARA-5



	LARA-1	LARA-2	LARA-3	LARA-4	LARA-5
	036-002-0001	036-002-0002	036-002-0003	036-002-0004	036-002-0005
Power	3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm



### SIDE

CHROME

220-240V / 50-60Hz  
4000K



SIDE-1



SIDE-2



SIDE-3




SIDE-4



SIDE-5



	SIDE-1	SIDE-2	SIDE-3	SIDE-4	SIDE-5
	036-003-0001	036-003-0002	036-003-0003	036-003-0004	036-003-0005
Power	3x5W	5W	2x5W	3x5W	4x5W
Luminous Flux	3x325 lm	325 lm	2x325 lm	3x325 lm	4x325 lm





### PATARA

CHROME

220-240V / 50-60Hz  
4000K



PATARA-1



PATARA-2



PATARA-3




PATARA-4



PATARA-5



	PATARA-1	PATARA-2	PATARA-3	PATARA-4	PATARA-5
	036-001-0001	036-001-0002	036-001-0003	036-001-0004	036-001-0005
Power	3x4W	4W	2x4W	3x4W	4x4W
Luminous Flux	3x260 lm	260 lm	2x260 lm	3x260 lm	4x260 lm



LED CEILING LAMP / CEILING LAMP

### EFES

CHROME

220-240V / 50-60Hz



EFES-1



EFES-2




EFES-3



EFES-4

	EFES-1	EFES-2	EFES-3	EFES-4
	035-006-0001	035-006-0002	035-006-0003	035-006-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W







### KEMER

CHROME

220-240V / 50-60Hz



■ KEMER-1



■ KEMER-2



■ KEMER-5




■ KEMER-3



■ KEMER-4

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005

Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
-------	---------	-----------	-----------	-----------	-----------



### BERGAMA

CHROME

220-240V / 50-60Hz



■ BERGAMA-1



■ BERGAMA-2



■ BERGAMA-3




■ BERGAMA-4



■ BERGAMA-5

	BERGAMA-1	BERGAMA-2	BERGAMA-3	BERGAMA-4	BERGAMA-5
	035-002-0001	035-002-0002	035-002-0003	035-002-0004	035-002-0005

Power	Max.3x40W	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
-------	-----------	---------	-----------	-----------	-----------





### MANAVGAT

CHROME

220-240V / 50-60Hz



MANAVGAT-1



MANAVGAT-2



MANAVGAT-5




MANAVGAT-3



MANAVGAT-4

	MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
	035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W



LED CEILING LAMP / CEILING LAMP

### BODRUM

MAT CHROME

220-240V / 50-60Hz



BODRUM-1



BODRUM-2




BODRUM-3



BODRUM-4

	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004
Power	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W





**HOROZ ELECTRIC**

# LED Picture & Mirror Lamp / LED Reading Lamp


**TOYGAR-12**

040 013 0012



**CHROME**

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K



**HOROZ ELECTRIC**

## LED Picture & Mirror Lamp LED Reading Lamp




**SUMRU-12**

040 011 0012



**CHROME**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K




**EBABİL-12**

040 010 0012



**CHROME**

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K



LED PICTURE & MIRROR LAMP / LED READING LAMP






### ANKA


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 400 B: 52 C: 185	A: 550 B: 52 C: 185




LED PICTURE & MIRROR LAMP / LED READING LAMP



### KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



KANARYA-8	KANARYA-12
040-012-0008	040-012-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 405 B: 120 C: 120	A: 555 B: 120 C: 120

